


SERVICE KIT PER SEPARATORI ACQUA/OLIO SCARICATORI DI CONDENSA



FILTER CENTER®



La filtrazione a 360°

www.filtercenter.com


LISTINO SCARICATORI CONDENZA - CONDESATE DRAINS PRICE LIST (012018)




CODE	TYPE	CARATTERISTICHE TECNICHE – TECHNICAL SPECS	€/cd + iva
TD1		IN R 3/8 m - OUT d. 10 mm (porta gomma – hose barb) VOLTAGE 230/110 V ac (50-60 hz) - IP65 Filtro Integrato – Strainer integrated Orifizio – Orifice 2 mm Max 16 bar	109,00
AD950T		IN R 3/8-1/2 m - OUT d. 10 mm (porta gomma – hose barb) VOLTAGE 230 V ac (50-60 hz) - IP65 Filtro Integrato – Strainer integrated Orifizio – Orifice 2 mm Max 16 bar	198,00
CS72014		IN R 1/4 f - OUT R 1/4 f VOLTAGE 230 V ac (50-60 hz) - IP65 Orifizio – Orifice 2.0 mm Max 16 bar	69,00
CS72038		IN R 3/8 f - OUT R 3/8 f VOLTAGE 230 V ac (50-60 hz) - IP65 Orifizio – Orifice 4.5 mm Max 16 bar	72,00
CS728A		IN R 1/2 f - OUT R 1/2 f VOLTAGE 230 V ac (50-60 hz) - IP65 Orifizio – Orifice 3.5 mm Max 16 bar	62,50
CS72012		IN R 1/2 f - OUT R 1/2 f VOLTAGE 230 V ac (50-60 hz) - IP65 - LED on/off - (DIGITALE) Orifizio – Orifice 3.5 mm CABLAGGIO 1.5 m – WIRING 1,5 m Max 16 bar	86,00
CS7208012		IN R 1/2 f - OUT R 1/2 f VOLTAGE 230 V ac (50-60 hz) - IP65 Orifizio – Orifice 2 mm <u>Max 80 bar</u>	79,00
SB11681515		IN R 1/2 f - OUT R 1/2 f VOLTAGE 230 V ac (50-60 hz) - IP65 Orifizio – Orifice 15 mm Max 16 bar	80,00

CODE	TYPE	CARATTERISTICHE TECNICHE – TECHNICAL SPECS	€/cd + iva
CS20B		A GALLEGGIANTE – FLOATING DRAINS IN R 1/2 f OUT R 1/2 f P MAX 16 bar	117,00
Su richiesta On request		Alta pressione – Hig Pressure IN / OUT 1/2-3/4 f Matriali – Materials Iron/AISI	


ACCESSORI – ACCESSORIES

CODE	TYPE	CARATTERISTICHE TECNICHE – TECHNICAL SPECS	€/cd + iva
CSS7014 CSS7038		FILTRO VALVOLA – VALVE STRAINER IN R 1/2 m - OUT R 1/4 m IN R 1/2 m - OUT R 3/8 m Max 16 bar	17,00
CSS701280		FILTRO IN LINEA – IN LINE STRAINER IN R 1/2 m - OUT R 1/2 m Max 80 bar	26,00
280312		PREFILTRO – STRAINER 300 µ IN R 1/2 F - OUT R 1/2 F Max 12 bar	25,00
280380		PREFILTRO – STRAINER 150 µ IN R 1/2 F - OUT R 1/2 F Max 12 bar	34,00
CS720TIMER		TIMER SERIE CS720- SB116 VOLTAGE 24-240 V AC/DC	46,00
CS720TIMER BT		TIMER SERIE CS720-SB116 LOW VOLTAGE 7-36 V AC/DC	56,00
CSBOBXX		BOBINA - COIL SERIE CS72014/38 CS 728 XX = 24 - 48 - 110 - 230 VAC - 12 VDC	33,00
ZA30EM14XX		BOBINA - COIL SERIE CS72012 XX = 24 - 48 - 110 - 230 VAC - 12 VDC	33,00
CS720CAB		CONNETTORE CABLATO SERIE CS720 WIRED CONNECTOR SERIE CS720 LUNGHEZZA 1,5 M	6,90


SCARICATORI A CONTROLLO DI LIVELLO – “ZERO LOSS” DRAINS

CODE	TYPE	CARATTERISTICHE TECNICHE – TECHNICAL SPECS	€/cd + iva
LD100		PORTATA COMPRESSORE- COMPRESSOR FLOW RATE 3 m ³ /min * IN R 1/2 m - OUT d. 12 mm (porta gomma – hose barb) VOLTAGE 230 110/24 V ON ac/dc -IP65 Filtro Integrato – Strainer integrated - Max 16 bar	144,00
LD101		PORTATA COMPRESSORE- COMPRESSOR FLOW RATE 7.5 m ³ /min * IN G 1/2 f - OUT d. 12 mm (porta gomma – hose barb) VOLTAGE 230/110/24 V ac/dc -IP65 Filtro Integrato – Strainer integrated - Max 16 bar	278,00
LD200		PORTATA COMPRESSORE- COMPRESSOR FLOW RATE 15 m ³ /min * IN G 1/2 f - OUT d. 12 mm (porta gomma – hose barb) VOLTAGE 230/110/24 V ac/dc -IP65 Filtro Integrato – Strainer integrated Max 16 bar	335,00
LD202		PORTATA COMPRESSORE- COMPRESSOR FLOW RATE 30 m ³ /min * IN G 1/2 f - OUT d. 12 mm (porta gomma – hose barb) VOLTAGE 230/110/24 V ac/dc - IP65 Filtro Integrato – Strainer integrated - Max 16 bar	408,00
LD203		PORTATA COMPRESSORE- COMPRESSOR FLOW RATE 158 m ³ /min * IN G 1/2 f - OUT d. 12 mm (porta gomma – hose barb) VOLTAGE 230/110/24 V ac/dc - IP65 Filtro Integrato – Strainer integrated - Max 16 bar	779,00
KIT001		SERVICE KIT1 SERIE LD100-203	30,00
KIT030KIT 040		SERVICE KIT3 SERIE LD101-203 SERVICE KIT4 SERIE LD100	58,00
C685		RISCALDATORE TAGLIE LD101-202 HEATER SIZES LD101-202	273,00

Dove siamo



SEDE PRINCIPALE


Via Sofia, 12 - Interporto
43010 Fontevivo (PR)
Tel. 0521 651200
Fax 0521 619207
whatsapp 347 8917498
info@filtercenter.com
www.filtercenter.com

V.D. RICAMBI

Via G. Bonito - VI trav. N. 7
80026 Casoria (NA)
Numero Verde 800-134601
Tel. 081 7595657 - 19313009/11
Fax 081 7590855
whatsapp 329 4419272
filtri@vdricambi.it
www.vdricambi.it

DERA SAS DEPOSITI E RAPPRESENTANZE

Via Alfredo Agosta Sn
95121 Zona Ind.le Catania (CT)
Tel. 095 7139035 - 295143
Fax 095 295215
whatsapp 342 6718029
info@deraricambi.it
www.deraricambi.it



La filtrazione a 360°



FILTER CENTER SRL

Via Sofia n. 12 - INTERPORTO - 43010 Fontevivo (PR)
commerciale@filtercenter.com
tecnico@filtercenter.com
info@filtercenter.com
TEL. 0521 651 200 - FAX 0521 619 207
www.filtercenter.com